TECHNICAL DATA SHEET



ICM EM 1616 ECO 16% surfactant-free emulsion of unique amino-functional siloxane

Description This product is a microemulsion of a unique aminofunctional silicone. The specialized aminosilicone is designed to quickly and effectively, hydrophobe and protect a variety of automotive surfaces.	Property	Test Method	Value
	Product		
	Appearance		Yellow, translucent to hazy liquid
 Key Features < 3% VOC Surfactant Free Adds extremely hydrophobic and protective clear coat to car 	Chemistry		Aminosiloxane Emulsion
	MIT Free		Yes
	Non-Volatile Content (%)		16
surfaces	Ultralow cyclic content		Νο
 Facilitates rapid water sheeting and beading 	рН		4.5
Key Applications Automotive Care Leather 	Addition Rates		5-20%
Fabric CareGlass Treatments	Storage		
Application	Max Storage Temperature		40 °C / 104 °F
ICM EM 1616 ECO has been specially formulated to be a	Min Storage Temperature		4 °C / 39 °F
surfactant free emulsion leaving only the active ingredients after drying. The unique amino-functional siloxane and additives	Shelf Life		12 mths
provide a durable crosslinked structure that hydrophobes a variety	of materials, ICM EM 1616 EC	CO is a low	VOC product, containing less

provide a durable crosslinked structure that hydrophobes a variety of materials. ICM EM 1616 ECO is a low VOC product, containing less than 3%

Use and Cure Information

This microemulsion can be used directly or diluted 10:1 in water while maintaining pH less than 6, with any common acid, for optimal stability and effectiveness.

- 1. Throughly clean automotive surfaces before use.
- 2. Apply using a foam generating lance or spray bottle.
- 3. For maximum effectiveness alow to dwell for 1-2 minutes.
- 4. Rinse vigorously to activate.
- 5. Repeat applications for increased durability and effectivness.

Health & Safety

Read product and safety data sheets before handling this product for physical and health hazard information. The safety data sheet is available from your CHT representative.

Limitations

This product is not intended for pharmaceutical use.

Revision Date	22 Mar 2024	
Revision No	4	
Download Date	19 May 2024	

Telephone: 07071/154-0, Fax: 07071/154-290, Email: info@cht.com, Homepage: www.cht.com / www.cht-silicones.com

The content set out in the technical data sheet does not contain information upon which you should rely. It is provided for general information purposes only and does not constitute a product specification. You must obtain professional or specialist advice before taking any action based on the information provided in the technical data sheet.

CHT make reasonable efforts to ensure that information set out in the technical data sheet is complete, accurate, and up-to-date. CHT do not, however, make any representations, warranties or guarantees (whether express or implied) that information set out in the technical data sheet is complete, accurate, or up-to-date or that the product will be suitable for your requirements. You should carry out your own testing to determine the applicability of such information and whether the product will be suitable. CHT reserve the right to modify the technical data sheet at any time. The CHT technical service department is available to offer further information and advice and should it be needed to look at modifying current products or custom formulate a new one to meet your specific requirements. Please contact the technical service department.

CHT Germany GmbH: Postfach 12 80, 72002 Tübingen, Bismarckstraße 102, 72072 Tübingen, Germany