

CHT-BeauSil™ WAX 070 Modified siloxane as an ingredient for Personal Care.

Description

Silicone waxes are more than an emollient in Personal Care. Silicone waxes are alkyl modified polydimethyl siloxanes that act different than classic silicone fluids in formulations. Outstanding performance is created by the alkyl modification which result in unique physical and chemical properties.

Key Features

- Enhances spreading and solubilizing of natural lipids
- Reduces tackiness
- Provides controlled moisturization
- Dispersing and Solubilizing properties


Key Applications

- Hair Care
- Skin Care
- Color Cosmetic
- Sun Care

Application

CHT-BeauSil™ WAX 070 is a ideal ingredients for many types of skin care products, sun screens and colour cosmetics. A clear benefit beside the non-tacky and pleasant skin feeling is the high compatibility with organic ingredients and natural lipids. Additionally the CHT-BeauSil™ WAX 070 is a perfect wetting agent for pigments to create stable formulations. CHT-BeauSil™ WAX 070 can be used in leave-in products for hair care to improve softness and combing.

Structure of a silicone wax



Health & Safety

Safety Data Sheets on request available.

Packaging

Drums. Contact our sales department for more information.

Revision Date 30 Nov 2021

Revision No 3

Download Date 26 Apr 2024

Property

Product

Appearance

INCI Name

Ionicity

MIT Free

Non-Volatile Content (%)

Ultralow cyclic content

Viscosity

Test
Method

Value

Colourless to pale yellowish liquid

Cetyl dimethicone

Non-ionic

Yes

Approx. 100

Yes

Brookfield 40 – 120 cP

Addition Rates

Dosage - 1

0.5 – 5.0% as emollient

Dosage - 2

1.0 – 10.0% as wetting agent for pigments

Dosage - 3

1.0 – 5.0% as additive in sun screen

Solubility

Solubility - Almond oil

Soluble

Solubility - Cetyl Dimethicone

Soluble

Solubility - Dimethicone 350cst

Miscible

Solubility - Ethanol

Insoluble

Solubility -

Soluble

Ethylhexylcarbonate

Miscible

Solubility - Glycerine

Soluble

Solubility - IPM

Soluble

Solubility - Isododecane

Soluble

Solubility - Paraffin Oil

Miscible

Solubility - Polysorbate-20

Miscible

Solubility - Propylenglycol

Insoluble

Solubility - Water

Storage

Max Storage Temperature

40 °C / 104 °F

Min Storage Temperature

4 °C / 39 °F

Shelf Life

24 mths

The content set out in the technical data sheet does not contain information upon which you should rely. It is provided for general information purposes only and does not constitute a product specification. You must obtain professional or specialist advice before taking any action based on the information provided in the technical data sheet.

CHT make reasonable efforts to ensure that information set out in the technical data sheet is complete, accurate, and up-to-date. CHT do not, however, make any representations, warranties or guarantees (whether express or implied) that information set out in the technical data sheet is complete, accurate, or up-to-date or that the product will be suitable for your requirements. You should carry out your own testing to determine the applicability of such information and whether the product will be suitable. CHT reserve the right to modify the technical data sheet at any time. The CHT technical service department is available to offer further information and advice and should it be needed to look at modifying current products or custom formulate a new one to meet your specific requirements. Please contact the technical service department.

CHT Germany GmbH: Postfach 12 80, 72002 Tübingen, Bismarckstraße 102, 72072 Tübingen, Germany

Telephone: 07071/154-0, Fax: 07071/154-290, Email: info@cht.com, Homepage: www.cht.com / www.cht-silicones.com