## **TECHNICAL DATA SHEET**



## HANSA CARE 8016 D Modified siloxane as an ingredient for Home and Car Care.

## Description

<b>Description</b> Aminosiloxanes are Siloxanes modifed with Nitrogen groups. The	Property	Test Method	Value
modification degree lead to an	Product		
optimal performance in aqueous or solvent borne formulations for	Appearance		Colorless to yellow liquid
home and car care applications. These products are excellently suited for a use in polishes, wax	Chemistry		Aminosiloxane
formulations and drying aids in automatic or manual car wash	Ionicity		Cationic
and provide for perfect drying characteristics including a good	MIT Free		Yes
water repellence and excellent gloss.	Nitrogen Content (%)		Approx. 1.8
Key Features	Non-Volatile Content (%)		Approx. 100
<ul><li>Water repellency</li><li>Durability</li></ul>	Ultralow cyclic content		No
<ul> <li>Enhances Gloss and Color depth</li> </ul>	Viscosity	Brookfield	< 50 cP
Wax effect	Addition Rates		
Key Applications	Addition hates		0.5 – 3.0% in polishes and
Rinse Aids	Dosage - 1		waxes
Car Polishes	_		3.0 – 10.0%. in high-gloss
Spray Waxes	Dosage - 2		rinse aid formulations
Application	-		
HANSA CARE 8016 D is a high modified aminosiloxane and designed for the use as an ingredient in car wash products for the	Storage		
perfect drying result. HANSA CARE 8016 D works even in very	Max Storage Temperature		40 °C / 104 °F
low concentration and leaves a hydrophobic effect with an	Min Storage Temperature		4 °C / 39 °F
extreme gloss after treatment.	Shelf Life		24 mths
Health & Safety			
Health & Safety			
Safety Data Sheet available on request.			
Packaging			
Drums and bulk containers. Please contact our sales department for more information.			

**Revision Date** 29 Apr 2021 Revision No 1 Download Date 24 Apr 2024

The content set out in the technical data sheet does not contain information upon which you should rely. It is provided for general information purposes only and does not constitute a product specification. You must obtain professional or specialist advice before taking any action based on the information provided in the technical data sheet. CHT make reasonable efforts to ensure that information set out in the technical data sheet is complete, accurate, and up-to-date. CHT do not, however, make any representations, warranties or

CHT Germany GmbH: Postfach 12 80, 72002 Tübingen, Bismarckstraße 102, 72072 Tübingen, Germany

Telephone: 07071/154-0, Fax: 07071/154-290, Email: info@cht.com, Homepage: www.cht.com / www.cht.silicones.com

guarantees (whether express or implied) that information set out in the technical data sheet is complete, accurate, or up-to-date or that the product will be suitable for your requirements. You should carry out your own testing to determine the applicability of such information and whether the product will be suitable. CHT reserve the right to modify the technical data sheet at any time. The CHT technical service department is available to offer further information and advice and should it be needed to look at modifying current products or custom formulate a new one to meet your specific requirements. Please contact the technical service department.