TECHNICAL DATA SHEET



Method Value

Clear liquid

Methicone

40 °C / 104 °F

4 °C / 39 °F

24 mths

Yes

Yes

C13-15 Alkane (and)

Isododecane (and) Caprylyl

30 lb. pails, 340 lb. drums

CHT-BeauSil™ FLUID 8301 **Carrier and Solvent for Personal Care**

Product

Appearance

INCI Name

MIT Free

Storage

Packaging

Shelf Life

Ultralow cyclic content

Max Storage Temperature

Min Storage Temperature

Description **Property** This product is a mixture of carrier solvents for personal care

products

Key Features

Non-greasy

Non-tacky Low surfact tension

Low oily buildup

Key Applications

Skin Care

Hair Care

Color Cosmetic

Sun Care

Application

CHT-BeauSil™ FLUID 8301 is a 100% volatile mixture used to

imitate the feel and volatility of Decamethylcyclopentasiloxane

(D5). It creates elegant and light textures with a non-tacky, non-

greasy and silky finish. CHT-BeauSil™ FLUID 8301 contains volatile organic ingredients including a non-polar C15 hydrocarbon sustainably sourced from sugarcane

Use and Cure Information

Add to oil phase of formulation with mixing or stirring at or below 40°C.

Health & Safety

Read product and safety data sheets before handling this product for physical and health hazard information. The safety data sheet is available from your CHT representative.

Limitations

This product is not intended for pharmaceutical use.

Revision Date 02 Dec 2021

Revision No 5

Download Date 29 Apr 2024

CHT make reasonable efforts to ensure that information set out in the technical data sheet is complete, accurate, and up-to-date. CHT do not, however, make any representations, warranties or guarantees (whether express or implied) that information set out in the technical data sheet is complete, accurate, or up-to-date or that the product will be suitable for your requirements. You should carry out your own testing to determine the applicability of such information and whether the product will be suitable. CHT reserve the right to modify the technical data sheet at any time. The CHT technical service department is available to offer further information and advice and should it be needed to look at modifying current products or custom formulate a new one to meet your specific requirements. Please contact the technical service department.